



XMS Systems Style Sheet Cheat Sheet

By: Fred Mac Donald
Friday, 01st April 2016

Add one or a combination of the following CSS Styles to your div. Be careful to ensure there is a space between the existing style and what you want to enter. Also note that the words are case sensitive and needs to be 100% correctly spelled.

This is targeted at the more advanced user that are brave enough to click the “Source” button on the editor. For the rest, just drop us a support ticket the ask for help.

How to use the classes.

e.g. you might see something like this in your code to tell the browser to display the text as a Heading Level 5

```
<h5>This is a heading level 5</h5>
```

Changing it as follows:

```
<h5 class="txt_shadow">This is a heading level 5</h5>
```

will add a drop down shadow to the text.

This is a heading level 5

Standard classes

- **default_custom_div**
the standard background of your content
- **thumbs**
to style images to make them responsive
- **warning_div**
block with a light red background
- **txt_shadow**
add a drop shadow to your text
- **show_pointer**
replace mouse pointer with a pointing finger on hover
- **wide_div1**
stretches the width of the background to the maximum of the viewport, each can be styled to different heights and backgrounds
- **wide_div2**
- **wide_div3**
- **wide_div4**

Style links as Buttons

On the screen where you enter the link, click “Advanced” and enter the classes you want in the “Stylesheet Classes” field

or if you adventurous try the following:

A normal link would look like this [Test Link](#) and the code would look like this

```
<a href="some_pahe.php">Test Link</a>
```

To make this look like a button edit the code as follows

```
<a class="button button-action" href="some_pahe.php">Test Link</a>
```

will give make it look like this [Test Link](#)

- button-danger
button-danger
- button-warning
button-warning
- button-ok
button-ok
- button-bread
button-bread
- button-black
button-black
- button-action
button-action
- button-primary
button-primary
- button-submit
button-submit

Note: Your buttons could be styled a different colour

Special Function

- **offset-by-[n]**
if you need to centre a column (e.g. six columns wide) in your grid without using 2 empty “three columns” on either side you can use this class and replace the **[n]** with the number of empty column on either side of you centred column
e.g. class="**offset-by-three** six columns” will give you a six column block centred in the row with a three column space to the left and right of it.
- **embed**
- **tmp**
add this to your element to have it draw a red line around it to visually see where the div or other element ends
- **big_link**
Add this to expand link to the parent div. This will allow your visitor to click anywhere inside the div instead of directly on the link
- **same_height**
Add this class to all the columns inside a row to display them as equal heights
- **wide_table**
to add information in table format and ensure it is always visible regardless of the width of the viewport first add a div with a class of “wide_table” then add your table inside the div. This class will add a horizontal scroll bar below the table if the table is wider than the viewport
- **hide_this**
hide item if view-port smaller than 800px
- **show_this**
show item if view-port smaller than 800px
- **div_overlay**
use this to add a title to an image as an overlay. To use this you will create a div around the image, followed by a div inside the same div with this class.

```
<div>
  
  <div class="div_overlay">
    <h5>Armagh - Winter 2009 - 2010</h5>
  </div>
</div>
```

?pre and code tags will be generated if you add a style “formatted” from the editor dropdown and style the selected text like this

Carousel/Sliders

A new version of the “Owl Carousel” is being pushed out to all websites from February 2018. This will significantly reduce page load time and make more possibilities available to play with animations.

The following class is used to **initialise the carousel**, **set navigation dots** and **centre everything** (if needed)

class="owl-carousel owl-theme u-center"

The following id's are used to display the default included sliders.

- id="default_owl"
- id="loop_owl"
- id="owl_carousel_shop"

To add a carousel in your content is discussed in the [Adding a Carousel to your Content](#) article.

Layout

- **valign-middle**
this will align everything in a div/row vertically and horizontally
- **valign-vertical**
this will align everything in a div/row vertically
- **u-full-width**
this class will stretch a button to the full width of the column. Useful to style for a mobile device
- **u-max-full-width**
this class will stretch a button to the full width of the column. Useful to style for a mobile device
- **u-pull-right**
- **u-pull-left**
- **u-center**
add this class to center everything in a div instead of clicking the "Center Align" button on each paragraph

CSS Animations

If we want to have some animation on our heading to draw attention to it we can update the class as follows

```
<h5 class="txt_shadow animated bounce infinite">This is a heading level 5</h5>
```

to make the div bounce. By adding **infinite** to the class the animation will repeat.

This is a heading level 5

Animations Delay

Adding one of the following will delay the animation on page load. Using these you can have elements on your page "slide" in or out after up to 5 seconds after the page loaded.

- delay_1_sec
- delay_2_sec
- delay_3_sec
- delay_4_sec
- delay_5_sec

Animations Attention Seekers

- bounce
- flash
- pulse
- rubberBand
- shake
- swing
- tada
- wobble
- jello

Animations Bouncing Entrances

- bounceIn
- bounceInDown
- bounceInLeft
- bounceInRight
- bounceInUp

Animation Bouncing Exits

- bounceOut
- bounceOutDown
- bounceOutLeft
- bounceOutUp

Animation Fading Entrances

- fadeInDown
- fadeInDownBig
- fadeInLeft
- fadeInLeftBig
- fadeInRight
- fadeInRightBig
- fadeUp
- fadeUpBig

Animation Fading Exits

- fadeOut
- fadeOutDown
- fadeOutDownBig
- fadeOutLeft
- fadeOutLeftBig
- fadeOutRight
- fadeOutRightBig
- fadeOutUp
- fadeOutUpBig

Animation Flippers

- flip
- flipInX
- flipInY
- flipOutX
- flipOutY

Animation Lightspeed

- lightSpeedIn
- lightSpeedOut

Animation Rotating Entrances

- rotateIn
- rotateInDownLeft
- rotateInDownRight
- rotateInUpLeft
- rotateInUpRight

Animate Rotating Exits

- rotateOut
- rotateOutDownLeft
- rotateOutDownRight
- rotateOutUpLeft
- rotateOutUpRight

Animate Sliding Entrances

- slideInUp
- slideInDown
- slideInLeft
- slideInRight

Animate Sliding Exits

- slideOutUp
- slideOutDown
- slideOutLeft
- slideOutRight

Animate Zoom Entrances

- zoomIn
- zoomInDown
- zoomInLeft
- zoomInRight
- zoomInUp

Animate Zoom Exits

- zoomOut
- zoomOutDown
- zoomOutLeft
- zoomOutRight
- zoomOutUp

Animate Specials

- hinge
- rollIn
- rollOut

[For animation preview click here](#)

Icons

A complete set of icons can be used by applying them as classes using the integrated “Font Awesome” iconset.

See the complete list of icons here directly at [Font Awesome](#)

Note: Using these in your text editor might be problematic because the “classes” might be stripped out from your content when you edit your content a second time.

How to use?

```
<h5><span class="fa fa-buysellads"></span> Test</h5>
```

Note: Using these in your text editor might be problematic because the “classes” might be stripped out from your content when you edit your content a second time.